

HAIR DRYERS



High Speed Brushless Motor

12.401

material: ABS

finish: white, pink, customized

Voltage
110-240V

Frequency
50/60Hz

Rotating Speed
110000r/min

Rated Power
1600W

Air Speed settings
3 settings

Air Speed
21m/s

Temperature setting
4 settings

Noise
<76db

Hair Care Type
Negative Ions (10 million/cm cube)



SUPER SONIC HAIR DRYERS



12.402
 material: ABS
 finish: white, purple,
 customized

Voltage 110-240V	Frequency 50/60Hz
Rotating Speed 21000r/min	Rated Power 1600W
Air Speed settings 2 settings	Air Speed 20m/s
Temperature setting 3 settings	Noise <76db
Hair Care Type Negative Ions (10 million/cm cube)	



12.403
 material: ABS
 finish: grey

Voltage 110-240V	Frequency 50/60Hz
Rotating Speed 17500r/min	Rated Power 1500-1800W
Air Speed 14m/s	Noise <86db
Air Speed settings 2 settings	Temperature setting 3 settings

Storage bags for drawer solution

Dimension
 270x350mm

Velvet soft fabric
 To protect hair dryer
 & furniture

Drawstring
 Easy opening & closing



Note: colour and logo customized.

HAIR / BODY DRYERS



12.101

material: ABS
finish: white



12.201

material: ABS
finish: white



12.202

material: ABS
finish: white

Voltage	110–240V
Frequency	50/60Hz
Total Power	800W
Protect time	5min
Air temperature	65 ± 15°C
r.p.m.	11000
Air velocity	> 10m/s
Noice level	< 70dB

Voltage	110–240V
Frequency	50/60Hz
Total Power	1200W
Protect time	5min
Air temperature	65 ± 15°C
r.p.m.	12700
Air velocity	> 12m/s
Noice level	< 73dB

Voltage	110–240V
Frequency	50/60Hz
Total Power	1200W
Protect time	5min
Air temperature	65 ± 15°C
r.p.m.	10000
Air velocity	> 13m/s
Noice level	< 73dB



12.203
material: ABS
finish: white



12.204
material: ABS
finish: white



12.205
material: ABS
finish: white

Voltage	110–240V
Frequency	50/60Hz
Total Power	1200W
Protect time	5min
Air temperature	65 ± 15°C
r.p.m.	17000
Air velocity	> 12m/s
Noice level	< 73dB

Voltage	110–240V
Frequency	50/60Hz
Total Power	1200W
Protect time	5min
Air temperature	65 ± 15°C
r.p.m.	12700
Air velocity	> 13m/s
Noice level	< 70dB

Voltage	110–240V
Frequency	50/60Hz
Total Power	1200W
Protect time	5min
Air temperature	65 ± 15°C
r.p.m.	12700
Air velocity	> 12m/s
Noice level	< 73dB



12.301
material: ABS
finish: black/white



12.302
material: ABS
finish: black/white

Voltage	110–240V	Electrical insulation	Class II
Frequency	50/60Hz	r.p.m.	17000
Total Power	1800W	Air velocity	15m/s
Motor power	45W	Noice level	60dB
Protection level	IPX1		